

L.N. 89 of 2007

**PLANT QUARANTINE ACT
(CAP. 433)**

**Seeds of Agricultural Plants and Vegetables (Amendment)
(No. 2) Regulations, 2007**

IN exercise of the powers conferred by article 32 of the Plant Quarantine Act, the Minister for Rural Affairs and the Environment has made the following regulations:-

1. The title of these regulations is the Seeds of Agricultural Title.
Plants and Vegetables (Amendment) (No.2) Regulations, 2007 and they shall be read and construed as one with the Seeds of Agricultural L.N. 81 of 2006.
Plants and Vegetables Regulations, 2006, hereinafter in these regulations referred to as "the principal regulations".

2. For Table 1.5 of Schedule I to the principal regulations, Amends
there shall be substituted the following new table: Schedule I to
the principal
regulations.

"Table 1.5

| Latin name | Common name |
|---|---|
| <i>Allium cepa</i> L. - Cepa Group - Aggregatum Group | Onion Echalion Shallot |
| <i>Allium fistulosum</i> L. | Japanese bunching onion or Welsh onion |
| <i>Allium porrum</i> L. | Leek |
| <i>Allium sativum</i> L. | Garlic |
| <i>Allium schoenoprasum</i> L. | Chives |
| <i>Anthriscus cerefolium</i> (L.) Hoffm. | Chervil |
| <i>Apium graveolens</i> L. | Celery Celeriac |
| <i>Asparagus officinalis</i> L. | Asparagus |
| <i>Beta vulgaris</i> L. | Beetroot including Cheltenham beet Spinach beet or Chard |

| | |
|--|---|
| <i>Brassica oleracea</i> L. | Curly kale |
| | Cauliflower |
| | Sprouting broccoli or Calabrese |
| | Brussels sprouts |
| | Savoy cabbage |
| | White cabbage |
| | Red cabbage |
| | Kohlrabi |
| <i>Brassica rapa</i> L. | Chinese cabbage |
| | Turnip |
| <i>Capsicum annuum</i> L. | Chilli or Pepper |
| <i>Cichorium endivia</i> L. | Curled-leaved endive |
| | Plain-leaved endive |
| <i>Cichorium intybus</i> L. | Witloof chicory |
| | Large-leaved chicory or Italian chicory |
| | Industrial chicory |
| <i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai | Watermelon |
| <i>Cucumis melo</i> L. | Melon |
| <i>Cucumis sativus</i> L. | Cucumber |
| | Gherkin |
| <i>Cucurbita maxima</i> Duchesne | Gourd |
| <i>Cucurbita pepo</i> L. | Marrow or Courgette |
| <i>Cynara cardunculus</i> L. | Globe artichoke |
| | Cardoon |
| <i>Daucus carota</i> L. | Carrot |
| | Fodder carrot |
| <i>Foeniculum vulgare</i> Mill. | Fennel |
| <i>Lactuca sativa</i> L. | Lettuce |
| <i>Lycopersicon esculentum</i> Mill. | Tomato |

| | |
|--|---|
| <i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill | Parsley |
| <i>Phaseolus coccineus</i> L. | Runner bean |
| <i>Phaseolus vulgaris</i> L. | Dwarf French bean Climbing French bean |
| <i>Pisum sativum</i> L. (partim) | Wrinkled pea Round pea Sugar pea |
| <i>Raphanus sativus</i> L. | Radish Black radish |
| <i>Rheum rhabarbarum</i> L. | Rhubarb |
| <i>Scorzonera hispanica</i> L. | Scorzonera or Black salsify |
| <i>Solanum melongena</i> L. | Aubergine or Egg plant |
| <i>Spinacia oleracea</i> L. | Spinach |
| <i>Valerianella locusta</i> (L.) Laterr. | Corn salad or Lamb's lettuce |
| <i>Vicia faba</i> L. (partim) | Broad bean |
| <i>Zea mays</i> L. (partim) | Sweet corn Popcorn". |

3. For Table 1.16 of Schedule III to the principal regulations, there shall be substituted the following new table:

Amends
Schedule III to
the principal
regulations.

"Table 1.16

| Species | Minimum analytical purity (% by weight) | Maximum content of seeds of other plant species (% by weight) | Minimum germination (% clusters of pure seed) |
|-----------------------------|---|---|---|
| <i>Allium cepa</i> | 97 | 0.5 | 70 |
| <i>Allium fistulosum</i> | 97 | 0.5 | 65 |
| <i>Allium porrum</i> | 97 | 0.5 | 65 |
| <i>Allium sativum</i> | 97 | 0.5 | 65 |
| <i>Allium schoenoprasum</i> | 97 | 0.5 | 65 |

| | | | |
|---|----|-----|---------------|
| <i>Anthriscus cerefolium</i> | 96 | 1.0 | 70 |
| <i>Apium graveolens</i> | 97 | 1.0 | 70 |
| <i>Asparagus officinalis</i> | 96 | 0.5 | 70 |
| <i>Beta vulgaris</i> (Cheltenham beet) | 97 | 0.5 | 50 (clusters) |
| <i>Beta vulgaris</i> (others) | 97 | 0.5 | 70 (clusters) |
| <i>Brassica oleracea</i> (cauliflower) | 97 | 1.0 | 70 |
| <i>Brassica oleracea</i> (other than cauliflower) | 97 | 1.0 | 75 |
| <i>Brassica rapa</i> (Chinese cabbage) | 97 | 1.0 | 75 |
| <i>Brassica rapa</i> (turnip) | 97 | 1.0 | 80 |
| <i>Capsicum annuum</i> | 97 | 0.5 | 65 |
| <i>Cichorium endivia</i> | 95 | 1.0 | 65 |
| <i>Cichorium intybus</i> (Witloof & large-leaved chicory [Italian chicory]) | 95 | 1.5 | 65 |
| <i>Cichorium intybus</i> (Industrial chicory) | 97 | 1 | 80 |
| <i>Citrillus lanatus</i> | 98 | 0.1 | 75 |
| <i>Cucumis melo</i> | 98 | 0.1 | 75 |
| <i>Cucumis sativus</i> | 98 | 0.1 | 80 |
| <i>Cucurbita maxima</i> | 98 | 0.1 | 80 |
| <i>Cucurbita pepo</i> | 98 | 0.1 | 75 |
| <i>Cynara cardunculus</i> | 96 | 0.5 | 65 |
| <i>Daucus carota</i> | 95 | 1.0 | 65 |
| <i>Foeniculum vulgare</i> | 96 | 1.0 | 70 |
| <i>Lactuca sativa</i> | 95 | 0.5 | 75 |
| <i>Lycopersicon esculentum</i> | 97 | 0.5 | 75 |
| <i>Petroselinum crispum</i> | 97 | 1.0 | 65 |
| <i>Phaseolus coccineus</i> | 98 | 0.1 | 80 |
| <i>Phaseolus vulgaris</i> | 98 | 0.1 | 75 |
| <i>Pisum sativum</i> | 98 | 0.1 | 80 |
| <i>Raphanus sativus</i> | 97 | 1.0 | 70 |

| | | | |
|-----------------------------|----|-----|------|
| <i>Rheum rhabarbarum</i> | 97 | 0.5 | 70 |
| <i>Scorzonera hispanica</i> | 95 | 1.0 | 70 |
| <i>Solanum melongena</i> | 96 | 0.5 | 65 |
| <i>Spinacia oleracea</i> | 97 | 1.0 | 75 |
| <i>Valerianella locusta</i> | 95 | 1.0 | 65 |
| <i>Vicia faba</i> | 98 | 0.1 | 80 |
| <i>Zea mays</i> | 98 | 0.1 | 85". |

4. For Table 1.20 of Schedule IV to the principal regulations, there shall be substituted the following new table:

Amends
Schedule IV to
the principal
regulations.

"Table 1.20

| Species | Weight (grams) |
|---|----------------|
| 1 | 2 |
| <i>Allium cepa</i> | 25 |
| <i>Allium fistulosum</i> | 15 |
| <i>Allium porrum</i> | 20 |
| <i>Allium sativum</i> | 20 |
| <i>Allium schoenoprasum</i> | 15 |
| <i>Anthriscus cerefolium</i> | 20 |
| <i>Apium graveolens</i> | 5 |
| <i>Asparagus officinalis</i> | 100 |
| <i>Beta vulgaris</i> | 100 |
| <i>Brassica oleracea</i> (all kinds) | 25 |
| <i>Brassica rapa</i> | 20 |
| <i>Capsicum annuum</i> | 40 |
| <i>Cichorium endivia</i> | 15 |
| <i>Cichorium intybus</i> (Witloof & large-leaved chicory [Italian chicory]) | 15 |
| <i>Cichorium intybus</i> (Industrial chicory) | 50 |
| <i>Citrullus lanatus</i> | 250 |
| <i>Cucumis melo</i> | 100 |

| | |
|----------------------------------|--------|
| <i>Cucumis sativus</i> | 25 |
| <i>Cucurbita maxima</i> | 250 |
| <i>Cucurbita pepo</i> | 150 |
| <i>Cynara cardunculus</i> | 50 |
| <i>Daucus carota</i> | 10 |
| <i>Foeniculum vulgare</i> | 25 |
| <i>Lactuca sativa</i> | 10 |
| <i>Lycopersicon esculentum</i> | 20 |
| <i>Petroselinum crispum</i> | 10 |
| <i>Phaseolus coccineus</i> | 1000 |
| <i>Phaseolus vulgaris</i> | 700 |
| <i>Pisum sativum</i> | 500 |
| <i>Raphanus sativus</i> | 50 |
| <i>Rheum rhabarbarum</i> | 135 |
| <i>Lycopersicon lycopersicum</i> | 20 |
| <i>Scorzonera hispanica</i> | 30 |
| <i>Solanum melongena</i> | 20 |
| <i>Spinacia oleracea</i> | 75 |
| <i>Valerianella locusta</i> | 20 |
| <i>Vicia faba</i> | 1000 |
| <i>Zea mays</i> | 1000". |